

# Community Spotlight

Each <u>Community Spotlight</u> features an outstanding group, partner, resource, or member of our community.

# Working with Datasets in R swirl By Caitlin Hicks Pries

Date	Location	Latitude	Longtitude	Elevation.m	ppt.mm	Tmin.C	Tmean.C	Tmax.C
1895-01	Hanover	43.6587	-72.2771	194	48.32	-13.5	-8.3	-3
1895-02	Hanover	43.6587	-72.2771	194	21.08	-15.9	-9.7	-3.5
1895-03	Hanover	43.6587	-72.2771	194	38.08	-8.1	-3.3	1.6
1895-04	Hanover	43.6587	-72.2771	194	110.56	-0.3	5.6	11.6
1895-05	Hanover	43.6587	-72.2771	194	50.72	7.9	14.4	21
1895-06	Hanover	43.6587	-72.2771	194	69.52	13.2	19.3	25.5
1895-07	Hanover	43.6587	-72.2771	194	77.55	13.1	18.8	24.5
1895-08	Hanover	43.6587	-72.2771	194	90.09	12.3	18.4	24.5
1895-09	Hanover	43.6587	-72.2771	194	69.51	8.9	15.1	21.3
1895-10	Hanover	43.6587	-72.2771	194	36.14	0.7	5.9	11.2
1895-11	Hanover	43.6587	-72.2771	194	134.71	-1.9	2.8	7.5
1895-12	Hanover	43.6587	-72.2771	194	96.01	-8.4	-3.2	2
1896-01	Hanover	43.6587	-72.2771	194	21.53	-12.5	-8.1	-3.7
1896-02	Hanover	43.6587	-72.2771	194	96.6	-11.6	-7	-2.4
1896-03	Hanover	43.6587	-72.2771	194	135.24	-9.1	-4.2	0.8

### **Module Description:**

This resource is an activity designed to be completed in <a href="mailto:swir">swir</a>, an interactive platform for learning and teaching R in the RStudio console. <a href="mailto:lnstructors.can">lnstructors.can</a> learn more about swirl and how to implement a swirl lesson here. Students can complete swirl lessons using <a href="RStudio Cloud">RStudio Cloud</a> directly in their browsers - no software installation required.

This lesson is part of a Global Change Biology course where one of the main learning objectives is to have the students develop and answer scientific questions by using R to access, organize, and graph actual long-term data sets. In order to explore global change data and learn how various anthropomorphic activities are affecting ecosystems and species, we need to import datasets into R and make sure all the variables are in the correct format that will allow us to perform data visualization (aka, create graphs). In this lesson, we will learn how to import data into R, perform basic QA/QC (quality assurance/quality control) of the data, and create some basic exploratory graphs of the data from which we can begin to answer scientific questions. We will be working with a dataset from the PRISM Climate Group (http://www.prism.oregonstate.edu/) that includes air temperature and precipitation over the past one hundred years in two towns in the United States (Boulder, CO and Hanover, NH). This resource also includes a graphing homework assignment and key that can be used as an assessment and extension of learning after students complete the swirl lesson.

#### **Teaching Setting:**

This 1-hour lesson was designed for an intermediate level Climate Change Biology course for majors.

#### Citation:

Pries, C. H. (2019). <u>Working with Datasets in R swirl</u>. <u>Make Teaching with R in Undergraduate Biology Less Excruciating</u>, QUBES Educational Resources. <u>doi:10.25334/Q4KF2V</u>

Visit Resource





#### **Related Materials and Opportunities:**

The author created this resource while participating in the Spring 2019 Make Teaching with R in Undergraduate Biology Less Excruciating (Make TRUBLE) Faculty Mentoring Network (FMN). In this FMN, participants focused on developing, implementing, and sharing modules for teaching statistical and biological concepts in R with swirl, an interactive platform for learning and teaching R in the RStudio console. swirl lessons simplify the R learning process by providing a guided, interactive experience through on-screen prompts and exercises which students answer directly in R. swirl lessons can incorporate diverse biological datasets and can be used to seamlessly integrate learning of biology content, programming, and data analysis. The associated swirlify package features a user-friendly shiny app for developing custom lessons.

Be sure to check out the other resources created by participants in the Make TRUBLE FMN including "Population Demography in Swirl" and "Importing Data into R" and check back on the Make TRUBLE FMN page where additional FMN products will be archived. For even more swirl resources, browse the swirl lessons developed during the Fall 2018 Reducing Barriers to Teaching with R in Undergraduate Biology FMN, one of which was previously featured as a Resource of the Week.

If you are interested in developing, implementing, and sharing modules for teaching statistical and biological concepts in R with swirl, then <a href="mapply">apply</a> by August 16, 2019 to participate in the Fall 2019 <a href="Teaching with R in Undergraduate">Teaching with R in Undergraduate</a> <a href="Biology FMN">Biology FMN</a>. This is one of several FMNs QUBES is offering during the Fall 2019 semester. Other Fall 2019 FMNs include:

- Biodiversity Literacy in Undergraduate Education (BLUE) FMN (Apply by July 22, 2019)
- NEON Data Education Fellows FMN (Apply by July 22, 2019)
- Agent/Individual-Based Modeling FMN (Apply by August 16, 2019)
- Genome Solver Faculty Training in Basic Bioinformatics (Apply by August 1, 2019)
- Project EDDIE FMN: Teaching Quantitative Reasoning and Scientific Concepts with Data (Apply by August 16, 2019)

Learn more about FMNs and browse all upcoming FMNs.

The PRISM Climate Group data used in this resource includes climate data for the contiguous United States; therefore, this resource could be adapted to use data from the location of your school. If you do adapt this resource, you are encouraged to share your resource on QUBES. When you do so, your resource receives a stable digital object identifier (DOI) and you can track the views, downloads, and adaptations of your resource. Learn more about Open Education Resources on QUBES.

QUBES on Social Media









<u>BioQUEST</u> is a transformative, collaborative community empowering educators to drive innovation in STEM education for all students.

QUBES.

Subscribe / Unsubscribe from mailing list
View Community Spotlight on QUBESHub
Community Spotlight: Issue 44